


Technical Specifications - CAST IRON DOUBLE AIR VALVES

<p>Type of Valve</p> <p>Materials of Construction:</p> <p>a. Body, High Pressure Cover, Low Pressure Cover, Cowl & Cover</p> <p>b. H.P. Orifice Plug</p> <p>c. L.P. Seat Ring</p> <p>d. H.P. Ball(Float)</p> <p>e. L.P. Ball(Float)</p> <p>f. Gasket</p> <p>g. Bolts & Nuts</p> <p>Design</p> <p>Testing standard</p> <p>Dimension</p> <p>• Flange Dimension & Drilling</p> <p>Hydraulic test pressure:</p> <p>• Rating</p> <p>• Body</p> <p>Range</p>	<p>Cast Iron Air Release Valves, Double Orifice Type</p> <p>Cast Iron to IS 210 Gr. Fg 200/260</p> <p>Bronze or Stainless Steel</p> <p>Rubber</p> <p>Natural Rubber Coated on Wood or Stainless Steel</p> <p>Vucanite Coated on Wood or Stainless Steel</p> <p>Rubber to IS 638 Type B</p> <p>Carbon Steel To IS 1367 Cl 4.6/4.0</p> <p>IS 14845 Fig. No. 3b (DS-2)</p> <p>IS 14845 Fig. No. 3b (DS-2)</p> <p>As per customer requirement</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;"></td> <td style="width: 33%; text-align: center;">PN1.0</td> <td style="width: 33%; text-align: center;">PN 1.6</td> </tr> <tr> <td></td> <td style="text-align: center;">15 Kg/Cm²</td> <td style="text-align: center;">24 Kg/Cm²</td> </tr> </table> <p>40 mm NB to 200 mm NB</p>		PN1.0	PN 1.6		15 Kg/Cm ²	24 Kg/Cm ²
	PN1.0	PN 1.6					
	15 Kg/Cm ²	24 Kg/Cm ²					

Part Name:

1. Body,
2. High Pressure Cover,
3. Low Pressure Cover,
4. Cowl
5. Cover
6. H.P. Orifice Plug
7. L.P. Seat Ring
8. H.P. Ball(Float)
9. L.P. Ball(Float)
10. Gasket
11. Bolts & Nuts



- Note**
- Description given is generalized, may vary as per requirement.
 - Specifications given above are subject to change as per revisions in standards without notice.
 - Quotations are based on customer's requirement and data. Customers are requested to send specific requirement for an offer.
 - All sizes in millimeter

H. Sarker & Company Valves (P) Ltd.

Works: Phone: +91 33 2653 1214 / 0061 • eMail: hsb1t09@gmail.com

Regd. Office: Ajit Sen Bhawan, 13 Crooked Lane, 2nd Floor, Kolkatta 700 069.

Phone: 033-22109163

